PLANNING AND DEVELOPMENT DEPARTMENT



INSPECTION SERVICES DIVISION CITY OF HIGH POINT NORTH CAROLINA

MECHANICAL PERMIT REQUEST

TO: CITY OF HIGH POINT, INSPECTION SERVICES DEPARTMENT 211 S. HAMILTON STREET, P.O. BOX 230 HIGH POINT, NC 27261

TEL. NO: (336	/883-3170)	FAX NO: (336/883-8518)	TDD: (336/883-8517)	
ADDRESS OF	PROPERTY:			
CONTACT PER	RSON:			
CONTRACTOR	۶۰		PHONE	
commuteror	·	Name	11101.12	
		Street Address		
CITY OF HIGH	I POINT CONT	City of High Point TRACTOR NUMBER	State	Zip Cod
		SE NO		
PROPERTY OWNER:			PHONE	
		Name		
		Street Address		
		City of High Point	State	Zip Cod
RESIDENTIAL	L			
θ New Residen	ce, Heating Onl	y (per unit)		
		AC (per unit)		
		ng Only (indicate size)		
		Heat Pump (per unit)		
		and AC (including gas packs, & comple		
θ Gas Connecti	ons (per connec	etion)		
θ Miscellaneou	s (per unit	(describe)		
	_	Total No. of Appliances		
COMMERCIA			DESCRIPTION OF FO	
θ		RODUCING EQUIP. HW, AHU, VAV	DESCRIPTION OF EQ	QUIPMENT
QUANTITY		V COILS BTUs OR Kws (per unit) VHR or 0-45 KW		
		0 BTU/HR or 46-100 KW		
		000 BTU/HR or over 100KW		
θ	AIR CO	NDITIONERS, HEAT PUMPS,	DESCRIPTION OF EQ	UIPMENT
QUANTITY		TONS PER UNIT		~
-	0-8 TONS			
	9-15 TONS			
	16-25 TONS			
	OVER 25 TON	S (please specify tonnage)		

θ QUANTITY	FAN COIL, UNITS, NON-HEAT, AHU, VAV BOXES CFM OF UNIT	DESCRIPTION OF EQUIPMENT		
	0-1000 CFM			
	1001-3000 CFM			
	3001-5000 CFM			
	OVER 5000 CFM (specify CFM's)			
θ	BLOWERS AND EXHAUST SYSTEMS,			
QUANTITY	INCLUDING BATH FANS			
	0-5 MOTOR HORSEPWOER			
	6-25 MOTOR HORSEPOWER			
	OVER 25 MOTOR HORSEPOWER			
	MISCELLANEOUS			
QUANTITY				
o	DUCT SYSTEMS ONLY (NOT APPLICABLE IF INSTALLED WITH EQUIPMENT)			
O	WATER COOLING TOWER/SYSTEMS			
O	EXHAUST SYSTEM FOR COOKING EQUIPMENT			
O	PAINT SPRAY BOOTH			
O	CHILLERS			
0				
0	MISCELLANEOUS (DESCRIBE)			
SIGNATURE	OF CONTRACTOR	DATE		